



Technical Data
Specifications & Capacities

JIB1000GR

Translation of the original instructions

[ft] [lb]

03.02.2026 | REV0.0



EN 13000:2014

INDEX

Index 2

Configuration 3

Overall dimensions 4

Movements..... 5


Overall informations..... 7

Beams dimensions..... 8

Pipes dimensions 9

Symbols 10

CONFIGURATION



JIB1000GR





JIB1000GR

Overall dimensions


03.02.2026 | REV0.0

OVERALL DIMENSIONS




MOVEMENTS


TILT



ROTATION



SWING



OVERALL INFORMATIONS

INFO JIB




	DESCRIPTION	U.M.	VALUE
OVERALL DIMENSIONS	Height	ft	2' 10"
	Length		7' 7"
	Width		4' 8"
MOVEMENTS	Tilt A	°	-95°/+15°
	Tilt B	°	-5°/+90°
	Swing	°	-45°/+45°
	Rotation	°	360°
	MAX CAPACITY	lb	2,200
WORKING TEMPERATURE		°F	+14°/+104°

WEIGHT





GRABBER	lb	750
---------	----	-----

BEAMS DIMENSIONS




TYPES





DIMENSIONS		MIN	MAX
	a	1/4"	1/2"
	b	/	8"
	e	/	1"
	h	1' 0"	1' 8"

[*]: Lift the beam from the centre of gravity (G )

PIPES DIMENSIONS



TYPES



SYMBOLS



Grabber



Tilt A



Tilt B



Swing



Rotation



Weight



Maximum
Capacity



Working
Temperature

LOAD CHARTS REMARKS

- Load tables have been calculated following the EN 13000:2014 standard.
- Load tables have been calculated considering a wind load of 13,8 m/s, a sail area of 1m²/t and a drag coefficient of 1,2.
- Load capacities are given in pounds.
- Hookblocks and hooks weight is part of the load, hence it shall be deducted from the capacity values.
- The supplied Technical Data is part of the Use & Maintenance Manual.
- Features and specifications may change without prior advice.
- All indicated data are for informational purposes only and are not binding as the crane performs differently depending on its use.



Jekko s.r.l.

Via Galileo Galilei, 6/8 – 31010 Godega di Sant’Urbano (TV) – Italy
info@jekko.it – www.jekko-cranes.com

SERIAL NUMBER:



03.02.2026 | REV0.0