

# MPK50

PICK & CARRY CRANE



Lifting capacity

**11,000 lb**



Max tip height

**30' 6"**



Dimensions (l x w x h)

**9' 10" x 3' 10" x 5' 8"**



Powered by


**Battery**



Weight

**9,790 lb**

7,590 lb machine  
2,200 lb removable ballast



EN [ft - lb]



# WORKING MODES


## WINCH

**11,000 lb**

- 2,200 lb capacity single fall / 11,000 lb 5 falls
- 196 ft length
- Quick hydraulic connections



Winch Load Chart





## TWO-SECTION MECHANICAL JIB

- Two mechanical sections
- 3,960 lb / 1,540 lb capacity
- Hook or winch
- 4 angles: +11° / -14° / -39° / -64°



## HOOK

11,000 lb







## RADIO REMOTE CONTROL

- All driving and crane functions
- Simple and intuitive, proportional
- Spare battery on board
- Safety: self-diagnostics & emergency button

## BOOM MOBILITY

- Turret side rotation  $\pm 5^\circ$
- Double hydraulic extensions by chains
- 3-positions tilting boom head

### WIDE WORKING MODES

- Frontal hydraulic stabilising bar
- Pick&carry
- Hook - winch - jib operation

### FULLY ELECTRIC

- 100% battery powered, Lead-acid type 48 V, 620 Ah
- Minimal maintenance cost
- Emission-free indoor operation
- On board 110V or 230V fast battery charger
- Runtime over one workday

### REMOVABLE BALLAST

- Easily removable ballast with forklift

### INDOOR WHEELS

- Non-marking white tyres for indoor

### J-LINK POWERED BY TRACKUNIT\*

- Remote fleet monitoring and diagnostics
- Built-in or retrofit on existing units



\*Optional



**MPK50**  
PICK & CARRY CRANE

Jekko USA • [info@jekkousa.com](mailto:info@jekkousa.com) • [www.jekkousa.com](http://www.jekkousa.com) • (800) 670-4103

Specifications are subject to change without notice.

All data provided is for reference purposes only and is not legally binding.